

1949 ANNUAL INDEX



Volume 21

January to December

Author Index

Bates, E. L.—"Specifying Design Tolerances," Mar., 120
 Beck, Frank—"Centrifugal Stresses in Disks," May, 137
 Bennett, J. T.—"The Engineering Manual . . . Its Function and Maintenance," Nov., 99
 Blaney, R. E.—"Machine Wraps Shaped Insulation," Oct., 129
 Bolz, Harold A.—"Engineering and Shop Relationships," Dec., 102
 Bolz, Roger W.

"Production Processes . . . Their Influence on Design:
 "Projection Welding," Jan., 121
 "Butt Welding," Feb., 103
 "Production Brazing," Mar., 107
 "Welding, general considerations," May, 119
 "Welding, design factors," June, 135
 "Sand Castings," Aug., 127
 "Centrifugal Casting," Sept., 107
 "Permanent Mold Casting," Oct., 115
 "Die Casting," Nov., 115
 "Plaster-Mold Casting," Dec., 141
 "Turn Miller," Aug., 90
 Bonanno, Joseph L.—"Dollars-and-Cents Advantages of Powder Metal Parts," May, 133
 Brkich, A.—"Redesigned for Eye Appeal," Aug., 105
 Burg, J. R.—"Mechanized Flame Hardening," Feb., 132

Cain, W.—"Booster Supplies Hydraulic Pressure," Apr., 115
 Cohn, Gunther and Jess W. Oren—"Film Pressures in Greased Sleeve Bearings," July, 121
 Contaldo, Joseph—"What Size Drive Spindle?" June, 144
 Conway, H. D.—"Analyzing Stresses in Shells and Rings," Oct., 122
 Conway, H. G.
 "History of Machine Hydraulics:
 "Air Hydraulics," Nov., 106
 "Reciprocating Pumps," Dec., 120
 "Selecting Limits and Machine Parts," Mar., 147
 Cummings, Edgar H.—"Stacker Crane," Apr., 103

Dalzell, R. Carson and Joseph J. Matt—"Which Copper-Base Alloy?" Dec., 125
 Davis, Louis E.—"Custom Tailor Manual Controls," Sept., 127
 Delmonte, John—"Nonmetallic Coatings," Feb., 97
 Dodge, Louis—"Design of Round-Bar Clamps," Jan., 115
 Dooley, James L.—"Pneumatic Relays," Apr., 109
 Douglass, C. N.—"Pneumatic Sander," May, 103
 Drewitz, Edwin—"Knife-Switch Mechanism," Nov., 108
 Drucker, Ned—"Getting Flexibility into Machinery," Mar., 129
 Durelli, August J. and Rex L. Lake—"Photoelasticity," Nov., 137

Eck, Robert N.—"Automatic Positioning of Machine Spindles," Nov., 111
 Edwards, Robert S.—"Selecting Electric Servomotors," Jan., 104
 Elberty, Robert S.—"Clutches," May, 98

Fischer, Paul E.—"Dust-Free Drive on Vacuflow Machine," Apr., 139
 Freberg, C. R., R. C. Johnson and S. D. Moxley Jr.—"Balancing Crank Mechanisms," Aug., 111
 Fry, Macon
 "Determining Recoil Loading," Jan., 93
 "Optimum Diameters of Flexible-Cable Pull Wires," June, 119
 "When Will a Toggle Snap Open?" Aug., 126

Gagne, A. F. Jr.—"Selecting Flexible Couplings," Apr., 117
 Garner, W. R. and J. W. Gebhard—"Machine Dials and Scales," Aug., 98

Gatcombe, E. K. and H. S. Ryder—"Designing Vibration Absorbers," Nov., 142
 Gebhard, J. W. and W. R. Garner—"Machine Dials and Scales," Aug., 98
 Gillett, H. W.—"What Do Materials Tests Tell the Designer?" Oct., 96
 Godshall, A. L.—"Compensated Spring System in New Instrument," Mar., 104
 Gordon, R. B.—"Investment Casting," Mar., 139
 Guth, Lauren W.—"Creative Engineers," Mar., 89

Hitchcock, Earl B.—"Controlling Machines with Electronic Counters," May, 112
 Hofman, W. A.—"Redesign Effects Economies," Jan., 79
 Horn, John—"How to Prepare Engineering Reports," Oct., 108
 Howard, R.—"Helical Gear Overlap for Smooth Operation," Jan., 145
 Hrones, John A.
 "Key Factors in Cam Design and Application:
 "Basic Relationships," Apr., 127
 "Cam Contour Types," May, 107
 "Followers and Follower Systems," June, 124
 Hrones, John A. and James B. Reswick—"The Electronic Analogue," Sept., 115

Ireland, James R.—"Permanent Magnets," Apr., 153

Jacobs, R. J.—"Indexing with Concave Barrel Cams," Feb., 93
 Johnson, Carl A.—"Helical Gears to Replace Spur Gears," May, 149
 Johnson, Clarence—"Air-Hydraulic System Simplifies Design," Apr., 149
 Johnson, R. C., C. R. Freberg and S. D. Moxley Jr.—"Balancing Crank Mechanisms," Aug., 111

Karmen, L. J.—"Management Control of New Design," Mar., 127
 Kleis, Guy and J. C. McKeon—"Professional Development of the Young Engineers," Dec., 124
 Kraus, Charles E.
 "Automatic Positioning and Inserting Devices," Oct., 125
 "Chuting and Orientation in Automatic Handling," Sept., 95
 "Hopper Feeds," Feb., 116

Laird, J. Packard—"Stepping Relays," Apr., 133
 Lake, Rex L. and August L. Durelli—"Photoelasticity," Nov., 137
 Leifer, L. A. and James A. Mason—"Electromagnetic Clutches," June, 107
 Lindsten, M. C.—"Which Fractional-Horsepower Motor?" June, 127
 Lotz, Richard K.
 "Bouncing-Basket Washer," Feb., 77
 "Continuous Miner," May, 88
 Loveland, R. P.—"Spur Gears," Apr., 161

Maier, Hanns J.—"Reducing Cost of Fatigue Testing," Sept., 137
 Martin, James and J. H. Meier—"Improving Analysis of Graphical Records," Mar., 115
 Mason, James A. and L. A. Leifer—"Electromagnetic Clutches," June, 107
 Matt, Joseph J. and R. Carson Dalzell—"Which Copper-Base Alloy?" Dec., 125
 Maxia, Joseph—"Protective Coatings," Jan., 110
 McEachron, K. B. Jr.—"Engineering Interns," Aug., 141
 McFarland, Forest and J. G. Vincent—"Torque Converter Transmission," July, 117
 McKeon, J. C. and Guy Kleis—"Professional Development of the Young Engineers," Dec., 124

- Menking, H. V.—"Aluminum Extrusions Design Factors and Tolerances," Nov., 127
 Mitchell, W. P.—"Planetary Gearing," Feb., 87
 Mills, Kenneth N.—"Reduction of Noise in Gearing," Jan., 88
 Moxley, S. D. Jr., C. R. Freberg and R. C. Johnson—"Balancing Crank Mechanisms," Aug., 111
- Nash, William A.—"Calculating Stresses and Deflections in Circular Plates," Aug., 149
 Nichols, N. B. and J. G. Ziegler—"Process Control Valves," Jan., 129
 Norman, C. A.—"Belt Drives," Feb., 111
- Oren, Jess W. and Gunther Cohn—"Film Pressures in Greased Sleeve Bearings," July, 121
 Osborn, Niel—"How Codes Affect Pressure Vessel Design," Sept., 105
 Otto, Carl Louis—"Engineering by Eye," Mar., 98
- Perrin, John G.—"Needed—Nation-Wide Drafting Standard," June, 96
 Pfeiffer, Clarence L.—"A More Effective Drafting Room," July, 100
- Randich, E. A.—"Strength and Stiffness of Ribbed Plates," Sept., 143
 Rappaport, Sigmund—"Design of Beam Scales," June, 121
 Reed, Ferris L.—"Speed-Control Methods," July, 83
 Reswick, James G. and John A. Hrones—"The Electronic Analogue," Sept., 115
 Richards, John T.—"What Beryllium Copper Offers the Designer," Aug., 117
 Richter, Walter—"Electronic Tachometer," Nov., 133
 Ritchie, David—"Molded-Laminated Machine Parts," June, 111
 Roberts, C. C.—"Control Instruments," Apr., 169
 Robinson, F. W.—"Hydraulic Fitting Standards for Industrial Equipment," (Data Sheet), July, 133
 Roman, W. G.—"Electronic Regulators and Regulating Systems," Dec., 147
 Ross, Ronald J.—"Differential Pulley Amplifies Vibrograph Output," Oct., 105
 Rounds, Thomas E.
 "Superprecision Ball Bearings:
 "Selection for Low Friction, Rigidity and Load Capacity," Jan., 97
 "Shaft Housing and Enclosure Design," Feb., 121
 "Fitting, Installation and Removal," Mar., 131
 "Lubrication and Systems," May, 127
 Rupp, Lewis A.—"Applying Pitch-Changing Mechanisms to Marine Propellers," Feb., 127
 Ryde, John L.—"Gas Engine Powers Portable Unit," Aug., 108
- Ryder, H. S. and E. K. Gatcombe—"Designing Vibration Absorbers," Nov., 142
- Schupner, W. J.—"Oscillating Pilot Controls Valve," Aug., 124
 Senger, Werner I.—"Determining Balancing Accuracy," Dec., 122
 Smith, J. N.—"Hydraulic Packings for Industrial Equipment," (Data Sheet), Dec., 155
 Spackman, H. B.—"Co-ordinating Engineering, Production and Sales," Mar., 126
 Stimson, Glen H.—"Unified Tolerances Compared," July, 116
 Sutherland, Charles R.—"Panel Type Air Filters," July, 125
 Swannack, J. D.
 "Beam Deflections Solved with Matrices," Sept., 131
 "Tables Aid Solution of Beam Deflection Problems," (Data Sheet), Nov., 149
- Thompson, Bradley—"Panel Meter Redesigned," Dec., 122
 Tyler, Ransom—"Which Hydraulic Pump?" Apr., 141
- Vandeman, C. L.—"Machine Finishes," Sept., 99
 Varnum, Edward C.—"Relay Circuit Analysis," Dec., 137
 Vedder, E. H.—"How and Where to Apply Electronic Controls," Apr., 177
 Vincent, J. G. and Forest McFarland—"Torque Converter Transmission," July, 117
- Walsh, J. Paul—"Resonance Amplifies Forces in Vibration Machines," July, 113
 Weber, Carl F. and William P. Wier Jr.—"Lens Grinder," Sept., 88
 Wheelon, O. A.—"Design for Mass Production," Mar., 135
 Wier, William P. Jr. and Carl F. Weber—"Lens Grinder," Sept., 88
 Wilcock, Donald F.—"Lubrication of Bearings," Nov., 92
 Wilkins, W. G.—"Plaster-Mold Castings," June, 114
 Wilson, H. A.—"Flywheel Effect of V-Belt Sheaves," Feb., 141
 Wilson, Warren E.—"Performance of Hydraulic Pumps and Motors," Jan., 133
 Wimer, H. Dudley Jr.—"Motion Analysis," Aug., 109
 Winter, Paul H.
 "Acceleration in Geneva Drives," Feb., 130
 "Eliminating Belt Misalignment," Sept., 125
- Young, C. H.—"Engineering Graduate in Machine Design," May, 126
- Ziegler, J. G. and N. B. Nichols—"Process Control Valves," Jan., 129
 Zuefle, Russell G.—"Pretzel Tying Machine," July, 74

Subject Index

A

- Acceleration study of geneva drives, Feb., 130
 Accelerometer employs spark recording*, Sept., 92
 Accelerometer, high frequency (Calidyne Co.)*, Sept., 158
 Actuator, electric (Hoover Electric Co.)*, Apr., 196
 Adjustable speed drive, electronic, Apr., 177
 Air filter, panel type, selection and application in machines, July, 125
 Air flow measured by yarn tufts*, Jan., 87
 Airplane-helicopter combination*, Apr., 98
 Airplane, prone-position pilot bed*, Apr., 98
 Algebra, odd-even, for circuit analysis, Dec., 137
 Alternators (Kato Engineering Co.)*, July, 140
 Amplifier, mechanical, used in vibrograph*, Oct., 107
 Analogue, electronic, Sept., 115
 Analyzer, noise or vibration (Aircraft Electronics Assoc. Inc.)*, June, 174
 Analyzer, servo (Flight Research Engineering Corp.)*, Sept., 158
 Antenna, remote training of, Jan., 109
 Antidetonant injection for automotive engines*, Feb., 82
 Armature, vibratory, operates portable sprayer*, Aug. 147
 Atomic power for aircraft*, Nov., 196
 Attenuator (Shalleross Mfg. Co.)*, June, 172
 Axle, suspension system for*, Aug., 164

B

- Backlash eliminator*, Mar., 178
 Balancer, viscous*, Oct., 133
 Balancing by spring*, Feb., 137
 Balancing crank mechanisms, discussion of, Aug., 111
 Balancing, determining accuracy of, Dec., 113
 Balancing mechanism, Feb., 79
 Balls, steel, for ball point pens*, Oct., 92
 Beam deflections, table for (Data Sheet)*, Nov., 149
 Beam deflections solved with matrices, Sept., 131
 Beam scales, design of, June, 121
 Bearings, sleeve:
 centrifugally-cast (Induction Processing Co.)*, Nov., 153
 for sliding motion*, Mar., 174
 friction reduced by servo follow-up*, Feb., 82
 heated*, Mar., 176
 high-speed, lubrication of*, Feb., 170
 journal continuously centered by bearing pressure pockets*, June, 155
 locking mechanism for*, Jan., 166

- lubrication at subzero temperatures, Nov., 92
 rubber, in mounted rocker arm*, Dec., 154
 self-aligning (Shafer Bearing Corp.)*, Jan., 147
 self-aligning (Boston Gear Works)*, May, 155
 sleeve, high-density bronze (Ampeco Metal Inc.)*, Apr., 184
 tilting pad construction*, Dec., 184
- Bearings, ball and roller:
 miniature (Miniature Precision Bearings Inc.)*, Feb., 145
 pillow block (Fafnir Bearing Co.)*, July, 141
 pillow block (Split Ballbearing Corp.)*, Sept., 154
 pillow block (Fafnir Bearing Co.)*, Dec., 163
 pillow block, unit-type (SKF Industries Inc.)*, Nov., 154
 reciprocating (Thomson Industries Inc.)*, Feb., 152
 resilient mount for*, Apr., 108
 roller, take-up (Dodge Mfg. Corp.)*, Aug., 158
 roller, Messinger "X" type, May, 92
 superprecision, Part III—selection for low friction, rigidity and load capacity, Jan., 97; Part IV—shaft, housing and enclosure design, Feb., 121; Part V—fitting, installation and removal, Mar., 131; Part VI—lubrication and systems, May, 127
 take-up (Dodge Mfg. Corp.)*, Sept., 154
 take-up (Fafnir Bearing Co.)*, Mar., 160
 unit (Roberts Machine Works)*, Aug., 152
- Belts:
 conveyor for bulk materials between mixing and packaging*, Oct., 104
 conveyor, nylon-cotton combination*, Oct., 92
 drives, operating conditions of, Feb., 111
 eliminating misalignment in drive, Sept., 125
 endless, rubber (U. S. Rubber Co.)*, Oct., 137
 V-belts, fractional horsepower (Browning Mfg. Co.)*, Dec., 165
- Blowers:
 electric (Globe Industries Inc.)*, Mar., 159
 electric, reversible (Globe Industries Inc.)*, June, 162
 small (Redmond Co. Inc.)*, June, 164
 Bonding agent (Western Sealant Inc.)*, Nov., 155
 Bonding, rubber-to-metal (Stalwart Rubber Co.)*, May, 155
 Bosses, projection welding (Ohio Nut & Bolt Co.)*, Apr., 188
 Bottle filler, high-speed*, Nov., 145
- Brakes:
 disk, self-energizing, Nov., 125
 disk-type electric (Warner Electric Brake Co.)*, Nov., 152
 dynamic, adjustable-speed motor, July, 86
 fractional-hp, magnetic (Stearns Magnetic Mfg. Co.)*, July, 141
 hydraulic, dispenses with linkages*, Jan., 85
 motor, solenoid (Warner Electric Mfg. Co.)*, Oct., 140
 reverse, Jan., 166
 system for hydraulic application, July, 120
 Brazing aluminum to steel*, Aug., 86
 Bridge and amplifier (Ellis Associates)*, Dec., 172

*Denotes short articles of less than one page.

Bushing, linear ball (Thomson Industries Inc.)*, Sept., 151
 Bushing, strain relief (Heyman Mfg. Co.)*, July, 144
 Business machines, Dec., 150

C

Cabinets, blueprint (Cole Steel Equipment Co. Inc.)*, July, 150
 Cabinet, electrical, dust-tight (Square D Co.)*, Jan., 147
 Cabinets, steel drawer (Aurora Equipment Co.)*, Sept., 158
 Calibration flasher*, May, 97
 Camera film advance, motor-driven*, Oct., 132
 Camera, microfilm continuous strip (Diebold Inc.)*, Jan., 160
 Camera oscilloscope (F. P. Warrick)*, Mar., 170
 Cams:
 adjustable track*, Dec., 186
 concave barrel, indexing with, Feb., 93
 cylinder for indexing star wheels*, July, 78
 design and application, Part I—basic relationships, Apr., 127; Part II—contour types, May, 107; Part III—followers and follower systems, June, 124
 profiler*, Sept., 142
 redesign of for Sulzer weaving machine, Jan., 81
 Carburetors, horizontal type (Zenith Carburetor Div.)*, May, 154
 Carrier, belt conveyor (Stephen-Adamson Mfg. Co.)*, July, 142
 Casters, heavy-duty (Bassick Co.)*, Aug., 155
 Castings:
 centrifugal, Sept., 107
 die casting, design for, Nov., 115
 investment, beryllium copper, Aug., 119
 investment, case study of, Mar., 139
 investment, for stainless steel crank*, Feb., 140
 iron (Motors & Metals Inc.)*, Dec., 166
 magnesium, Aug., 106
 permanent-mold, Oct., 115
 plaster-mold, June, 115
 plaster-mold, Dec., 141
 sand, copper base alloys for, Aug., 134
 sand, design considerations, Aug., 127
 Chain, detachable roller (Atlas Chain & Mfg. Co.)*, July, 144
 Chromium plating for small parts (Midwest Chrome Process Co.)*, Feb., 145
 Chuting employed in automatic feeding and transfer, Sept., 95
 Circuit breaker, automatic reset (Fasco Industries Inc.)*, Dec., 162
 Circuit breaker, low voltage, d-c (Spencer Thermostat Div., Metals and Controls Corp.)*, Nov., 154
 Circuit breaker plug (Hopax Electric Inc.)*, June, 168
 Circuit, in-laid, for sliding contacts (Glass Products Co.)*, Aug., 152
 Circuit tester, pocket-sized (Precision Apparatus Co.)*, Apr., 202
 Clamps:
 conduit, low-pressure (Flexible Tubing Corp.)*, Jan., 150
 hose, self-tightening (Corbin Screw Div.)*, Apr., 94
 midget-type (Noble & Stanton Inc.)*, July, 143
 round-bar, design of, Jan., 115
 wire harness (Thomas Associates)*, Apr., 194
 Clock, based on atomic vibration*, Feb., 84
 Clutching, automatic*, Aug., 164
 Clutches:
 control, single-stroke*, May, 146
 coupling, centrifugal (Centric Clutch Co.)*, Nov., 157
 disk type, automatic (Salsbury Corp.)*, May, 160
 eddy-current, used in industrial trucks*, Mar., 97
 electromagnetic, June, 107
 facing, asbestos-metallic (Johns-Manville)*, Nov., 155
 fluid-particle magnetic (Duncan & Bayley Inc.)*, Nov., 152
 friction, automatic (Clark Clutch Div.)*, Jan., 152
 magnetic fluid type, characteristics and design of, May, 98
 mercury-actuated (Automatic Steel Products Inc.)*, Oct., 135
 overload operated*, July, 79
 overrunning, June, 104
 prevents double stroke*, Sept., 136
 self-controlled*, Apr., 212
 spring, sheave type (L.G.S. Spring Clutch Corp.)*, Jan., 147
 system for hydraulic application, July, 120
 torque limiting, Oct., 133
 uses centrifugal flyweights, automatic*, Jan., 168
 V-belt, automatic (W.S.K. Inc.)*, Feb., 145
 Coils, heat transfer (Parker Appliance Co.)*, June, 161
 Combustion control, electronic (Bristol Co.)*, Oct., 139
 Compressor, air (Air-Flo Compressor Co.)*, Apr., 192
 Compressor, clean-lined, May, 148
 Condensate disposal unit (Eastern Industries Inc.)*, July, 143
 Conductor, super, electric*, Apr., 98
 Connectors:
 solderless (Thomas & Betts Co.)*, Jan., 148
 wire, plastic and porcelain (Holub Industries Inc.)*, Sept., 146
 wire, screw-on (Holub Industries Inc.)*, Jan., 154
 Contact, electrical, copper-tungsten (Gibson Electric Co.)*, Jan., 154
 Contact, electrical, materials (Fansteel Metallurgical Co.)*, Mar., 166
 Contactors:
 air break (Allis-Chalmers Mfg. Co.)*, Oct., 140
 magnetic (Ward Leonard)*, Mar., 157
 reversing (Struthers-Dunn)*, May, 156
 Controls:
 bomber pressure*, May, 106
 circuit, hydraulic, of contour saw, Oct., 134
 circuit transformer (Square D Co.)*, May, 162
 combustion, electronic (Bristol Co.)*, Oct., 139
 electric motor drives, July, 83
 electronic, how and where to apply, Apr., 177
 electronic, motor load, (G.C. Wilson & Co.)*, Apr., 194
 instruments, type and selection, Apr., 169
 instruments, air operated (Bristol Co.)*, Nov., 160
 liquid level, magnetic*, Sept., 164
 manual, selection of, Sept., 127
 photoelectric (Photoswitch Inc.)*, Oct., 137
 plug, electric (Standard Dayton Corp.)*, June, 162
 remote, for radio tuning devices*, Jan., 168
 single-stroke clutch*, May, 146
 solenoid latch, Apr., 105
 speed stepless (Servo-Tek Co.)*, Aug., 156
 systems, air-hydraulic, Apr., 149
 time, hydraulic system (Hufford Machine Works)*, Jan., 148

*Denotes short articles of less than one page.

timer (Photoswitch Inc.)*, May, 158
 Controlling machines with electronic counters, May., 112
 Control, tension and velocity*, Nov., 114
 Converter, liquid oxygen, July, 99
 Converter, liquid oxygen*, May, 84
 Converter, transmission, July, 117
 Conveyors:
 belt, corrugated surface for 40 degree incline*, July, 68
 belt, for bulk materials between mixing and packaging*, Oct., 104
 belt, overland, May, 138
 belt, zipper edges*, Jan., 76
 chain (Whitney Chain & Mfg. Co.)*, May, 154
 high-speed, analysis of, Aug., 109
 Cord, high-strength heater, (General Electric Co.)*, Feb., 154
 Corrosion, car underbody, by salt treated roads*, Oct., 166
 Corrosion-inhibiting rods (Rotometals Inc.)*, Mar., 164
 Counters:
 electronic, for machine control, May, 112
 low-speed, magnetic (Veeder-Root Inc.)*, Aug., 157
 magnetic (Veeder-Root)*, May, 154
 mechanical (Durant Mfg. Co.)*, Apr., 188
 ratchet type (Veeder Root Inc.)*, Nov., 157
 Couplings:
 clutch, centrifugal (Centric Clutch Co.)*, Nov., 157
 electrical, waterproof (Roylyn Inc.)*, Aug., 154
 flexible (Boston Gear Works)*, Apr., 184
 flexible (Estey Co.)*, Aug., 153
 flexible (Lord Mfg. Co.)*, Apr., 192
 flexible (Morse Chain Co.)*, Aug., 158
 flexible, gear-type (Sier-Bath Gear & Pump Co. Inc.)*, Sept., 150
 flexible, selection of, Apr., 117
 flexible shaft (Elliot Mfg. Co.)*, Dec., 166
 flexible, silent chain (Morse Chain Co.)*, Sept., 146
 friction, for portable power-driven tools*, Feb., 168
 hydraulic (B. A. Coupling Co. Inc.)*, Sept., 147
 revolving casing for (Diamond Chain Co.)*, Oct., 140
 shaft, wedge-locking (Dodge Mfg. Co.)*, Mar., 157
 swivel pipe joint (Kelite Products Inc.)*, July, 142
 Crane, stacker, mounted on overhead rails, Apr., 103
 Crank mechanism, balancing of, Aug., 111
 Current indicator (Industrial Devices Inc.)*, Nov., 162
 Cutout, multigage, automatic (Greer Hydraulics Inc.)*, Nov., 156
 Cylinder, air adjustable-stroke (Anker-Holth Mfg. Co.)*, June, 170
 Cylinder, carbide, solid (Carboloy Co.)*, Mar., 158
 Cylinder, hydraulic, cushion-plate for (Gerotor May Corp.)*, Nov., 155
 Cylinder, pneumatic (Tompkins-Johnson Co.)*, Nov., 158

D

Deflection of beams solved with matrices, Sept., 131
 Deflections of circular plates (Data Sheet)*, Aug., 149
 Detector for leaks in welded tanks*, Oct., 92
 Detents, hydraulically-actuated*, Apr., 216
 Dials:
 design of, for machines, Aug., 98
 direct reading indicates screw feed*, Jan., 85
 timer (M. H. Rhodes Inc.)*, Apr., 186
 Diaphragm, vacuum-actuated, for shutting valve*, Sept., 92
 Die casting, design for, Nov., 115
 Differentials:
 mechanical*, Dec., 184
 mechanical, controls torque*, Sept., 104
 mechanical, small, (Milwaukee Lock & Mfg. Co.)*, Apr., 186
 synchronous (Kollsman Instrument Div.)*, Mar., 162
 Disks, centrifugal stresses determined graphically, May, 137
 Drafting:
 chair (Cramer Posture Chair Co.)*, July, 152
 format, June, 96
 guide, perspective (Charles Bruning Co.)*, Aug., 160
 instrument (W. J. Ottinger)*, Feb., 160
 instrument (Plastic Enterprise Inc.)*, July, 150
 machine (Charles Bruning Co.)*, Nov., 162
 machine (V & E Mfg. Co.)*, Dec., 170
 machine, precision (L. G. Wright Inc.)*, Oct., 142
 management, July, 100
 standards, June, 96
 table (Engineering Mfg. Co.)*, Feb., 158
 tracing unit, fluorescent (Stacore Equipment Corp.)*, July, 152
 Drier, print, electric (Fedco Products)*, Apr., 202
 Drier, warm air improves efficiency, Feb., 91
 Drilling unit (Black Industries)*, June, 165
 Drills, twist*, Aug., 97
 Drives:
 dual-motor, for machine control*, Jan., 144
 friction*, Feb., 172
 interrupted-rotation (Metal Seal and Products Inc.)*, Dec., 161
 reciprocating*, June, 155
 spindle, selection of, June, 144

E

Ejector, liquid (Selas Corp. of America)*, Aug., 152
 Electrodes, arc-welding (Data Sheet)*, June, 151
 Electronic analogue, Sept., 115
 Electronic calculator*, June, 92
 Electronic controls, how and where to apply, Apr., 177
 Electronic regulators and regulating systems, Dec., 147
 Electronic transmitter and receiver*, July, 81
 Engineering department (see Management)
 Engines:
 cyclone*, May, 132
 gasoline (Uebelhoe Bros.)*, May, 156
 gasoline (Briggs & Stratton Corp.)*, May, 157
 gasoline, light-weight (Power Products Corp.)*, Mar., 160
 gasoline, lightweight (Simplex Mfg. Corp.)*, Dec., 165
 gasoline, portable (Prentice Corp.)*, June, 162
 gasoline, small (Cushman Motor Works Inc.)*, July, 146
 high-compression*, Dec., 200
 radial, aircraft, improved design of, Oct., 121
 single cylinder, Aug., 106
 vertical shaft type (Clinton Machine Co.)*, Oct., 137
 water-cooled (Cushman Motor Works Inc.)*, Aug., 154

Escapement magnetic reed for watches*, Mar., 88
Etching, preparation of metal surfaces for examination*, Sept., 91
Extensometer, continuously-indicating*, Dec., 134
Extrusions, aluminum, design factors and tolerances, Nov., 127

F

Fasteners:

blind (Tinnerman Products Inc.)*, Apr., 188
comparison of tolerances, July, 116
in metal strip (Tinnerman Products Inc.)*, Nov., 154
locking, heavy-duty (Security Locknut Corp.)*, Nov., 156
locking, high-temperature (Elastic Stop Nut Corp.)*, Mar., 166
locking, screw (Brush Nail Expansion Bolt Co.)*, Aug., 153
multiscrow (American Screw Co.)*, Aug., 151
rubber-insulated (Automotive Rubber Co.)*, Oct., 138
Fatigue tester, pneumatic*, July, 132
Fatigue testing, accelerated method of, Sept., 137
Feeder, press stock*, Nov., 98
Feeding and transfer devices, automatic, Oct., 125
Feeding mechanism, automatic, for small parts, Sept., 95
Feeds, hopper, basic types and their design, Feb., 116
File, drawing, metal (Empire Development Corp.)*, Mar., 170
Film advance, camera, motor driven, Oct., 132
Film, direct-positive copying (Eastman Kodak)*, Dec., 172
Filter, dual-purpose, cleaning lubricating or fuel oil (W.G.B. Oil Clarifier Inc.)*, Apr., 190
Filter, stainless steel (Amplex Mfg. Co.)*, Nov., 160
Finishes:
anodizing, discussion of, Jan., 110
chromate coating, discussion of, Jan., 110
chromate-phosphate, discussion of, Jan., 110
chromium plating for small parts, (Midwest Chrome Process Co.)*, Feb., 146
decorative (Sherwin-Williams Co.)*, June, 168
machine, Sept., 99
nonmetallic, characteristics of, Feb., 97
oxide coating for aluminum, Jan., 110
paint, corrosion-resistant, plastic (Munray Products Inc.)*, June, 163
paint, fire-retardant*, Apr., 98
paint, stainless-steel (Plastics Div., Lockrey Co.)*, May, 164
primer, metal finishing (Di-Noc Co.)*, Sept., 149
protective (U. S. Stoneware Co.)*, Oct., 138
protective, phosphate, applied by water solution*, Jan., 76
vitreous enamels for aluminum alloys*, Apr., 98
zinc, bright-chromate (Allied Research Products Inc.)*, Feb., 145
Fitting standards, hydraulic (Data Sheet), July, 133
Fittings, tube, July, 106
Fittings, tube, hydraulic (Parker Appliance Co.)*, Jan., 147
Flash lamp, plastic (Amglo Corp.)*, May, 166
Flaws, metal, detected by ultrasonic stethoscope*, Feb., 84
Flexible-cable pull-wires, optimum diameters of, June, 119
Flow-control unit (Hays Mfg. Co.)*, Jan., 150
Fluid flow control*, Mar., 178
Fluid proportioning by helical propeller*, Mar., 174
Force measurement, hydraulics employed in, Oct., 113
Fuse holder, in-line (Hugh H. Eby, Inc.)*, Oct., 140

G

Gages:

cutout, automatic (Greer Hydraulics, Inc.)*, Nov., 156
high-pressure (American Machine & Metals Inc.)*, July, 145
hydraulic, shock-resistant (A. Schrader's Son)*, Mar., 164
strain, helically-wound*, Aug., 164
strain, measuring accuracy*, Mar., 95
thickness (Branson Instruments Inc.)*, June, 172
Gaging, semiautomatic, on gear finishing machine*, Jan., 85
Gasket, flexible, all metal (Flexitall Gasket Co.)*, Nov., 153
Gasket material (Products Research Co.)*, July, 142
Gasket material, heat resistant (Acushnet Process Co.)*, Oct., 128
Gasket, rubber, punched and extruded (Stalwart Rubber Co.)*, Mar., 168
Gasoline power unit (Cushman Motor Works)*, Feb., 154
Gearing, planetary, discussion of, Feb., 87
Gearmotors (see motors)
Gears:
helical, overlap for smooth operation (Data Sheet), Jan., 145
helical to replace spur (Data Sheet), May, 149
modified tooth form increases efficiency, reduces noise, Jan., 88
noise reduction of, Jan., 88
planetary in two-speed bicycle drive, Nov., 132
shaved, have wear resistance*, Jan., 76
spur, for high-speed application, Apr., 161
Generator, small, d-c (Arma Corp.)*, Aug., 157
Generator, tachometer (General Electric Co.)*, Nov., 162
Geneva drives, acceleration study, Feb., 130
Germanium crystals, four-element, radio and television*, Oct., 92
Governor, centrifugal (Pierce Governor Co.)*, Sept., 146
Governor, dual speed, of commercial vehicles*, Nov., 168
Graphical analysis, centrifugal stresses in disks, May, 137
Graphical record, improved analysis of, Mar., 115
Grease, gear, extreme-service (Keystone Lubricating Co.)*, Feb., 145
Grease, low temperature (Texas Co.)*, Mar., 158
Grinder has cam shape wheel*, Mar., 95
Grinder, tilting table feed*, May, 145
Grinding, centerless of small ball bearing*, Nov., 96
Gyroscopes, rate and position (G. M. Giannini & Co.)*, June, 161

H

Hardening, flame, mechanized advantages of, Feb., 132
Hardness testing with precision indenter*, Nov., 146
Hard-surfacing powder (Lincoln Electric Co.)*, Feb., 156
Heating elements*, May, 84
Hinges, continuous aluminum (Moynahan Bronze Co.)*, Apr., 192
Hopper feed, automatic (Feedall Machine & Engineering Co.)*, July, 148

*Denotes short articles of less than one page.

Hoppers for parts (Kraus Design Inc.)*, Sept., 150
Hose, air, oil-resistant (B. F. Goodrich Co.)*, Dec., 164
Hose, sanitary, rubber (Goodyear Tire & Rubber Co.)*, Apr., 194
Hydraulics:

booster, Apr., 115
booster (Sprague Engineering & Sales)*, Aug., 154
circuit, for contour saw control, Oct., 134
control valve, directional (Vickers Inc.)*, Apr., 184
cylinders (Miller Motor Co.)*, May, 155
fluid, high-temperature (Celanese Corp. of America)*, Nov., 157
force measurement by, Oct., 113
machines, history of, air hydraulics, Nov., 106
machines, history of, reciprocating pumps, Dec., 120
packings, for industrial equipment, Dec., 155
pump, Apr., 141
pump balancing device*, Jan., 170
pumps and motors, performance of, Jan., 133

I

Ignition systems, low-tension*, Feb., 186
Indicator, engine pressure*, Sept., 156
Indicator, strain, automatic balancing (Baldwin Locomotive Works)*, Oct., 142
Inserts, rolled-thread (Clover Industries Inc.)*, June, 163
Inserts, sapphire, for wear resistance*, Dec., 111
Instruments:
control, type and selection, Apr., 169
pivot type, panel (General Electric Co.)*, Oct., 136
vibration-measuring (Rev Products Co.)*, Feb., 160
Insulation:
light-weight for cold pipe (Robinson Industries)*, Nov., 156
plastic foam*, May, 84
plastic, thermal (American Latex Products Corp.)*, Jan., 158
resin, silicone (General Electric Co.)*, Sept., 154
wrapping machine, Oct., 129
Insulators, electrical (American Lava Corp.)*, June, 168

J

Joints:

double universal operation*, Apr., 218
high-temperature, swivel (Chiksan Co.)*, Dec., 162
rotating, high-temperature (Chiksan Co.)*, Oct., 139
universal (Lovejoy Flexible Coupling Co.)*, May, 164
universal ball and socket*, Apr., 216

K

Kilovoltmeter (Hickok Electrical Instrument Co.)*, Sept., 158
Knife-switch mechanism, Nov., 108

L

Lamp, flash, triggered by light impulse*, Aug., 146
Landing gear, design features of*, Oct., 170
Lathe, design for rapid setup, automatic changing*, Sept., 140
Lens grinder, Sept., 88
Lettering instrument, mechanical (Varigraph Co. Inc.)*, Jan., 160
Lighting fixture, adjustable (Stocker & Yale)*, Sept., 158
Light-intensity cells*, Apr., 98
Light, position control, Apr., 107
Limits and fits for machine parts, selection of (Data Sheet), Mar., 147
Load and pressure cells (Baldwin Locomotive Works)*, Dec., 172
Load cell, universal (Baldwin Locomotive Works)*, Feb., 158
Lubricant, compressible, for automatic lubrication, Nov., 97
Lubricating oils*, Aug., 86
Lubrication:
analysis of film pressure, July, 121
automatic, by means of compressible lubricants*, Nov., 97
subzero, bearing, Nov., 92
Lubricator, journal box (Miller Felpax Corp.)*, Dec., 162

M

Machines (see specific machines)
Machinery, getting flexibility into, Mar., 129
Magnet, nonmetallic (General Ceramics & Steatite Corp.)*, Nov., 156
Magnetic brake, fractional-hp (Stearns Magnetic Mfg. Co.)*, July, 141
Magnetic counter (Veeder-Root Inc.)*, May, 154
Magnetic drive in pump*, Feb., 140
Magnetic fluid*, July, 80
Magnetic materials, nonconducting (North American Phillips)*, Mar., 162
Magnetic starter (Ward Leonard Electric Co.)*, July, 146
Magnet, permanent, materials*, Oct., 92
Magnets, permanent, design and application of, Apr., 153
Magnifier, illuminated (Stocker & Yale)*, Feb., 158
Magnifier, vernier scale (Stebor Co.)*, June, 174
Management:
control of new design, Mar., 127
creative engineers, discovering and developing of, Mar., 89
development of young engineer*, Dec., 124
engineering, Aug., 141
engineering and shop relationship, Dec., 102
engineering reports, Oct., 108
engineering, symposium, Mar., 126
graduate's attitude toward design*, Oct., 174
manual, function and maintenance of, Nov., 99
quality control*, Dec., 208
quality control, purpose of*, Nov., 200
quality control, tolerances, June, 130
quality, how to improve*, Dec., 212
Manometer, mercury, high-accuracy, (Taylor Instrument Co.)*, Feb., 146

Materials:

- aluminum, brazing to steel*, Aug., 86
beryllium copper, design properties, Aug., 117
bismuth alloy (Cerro de Pasco Copper Corp.)*, Dec., 166
bronze, high-density, bearing (Ampco Metal Inc.)*, Apr., 184
carbide tube (Kennametal Inc.)*, Aug., 155
carbide cylinders, solid (Carboloy Co.)*, Mar., 158
carbon-graphite bearing (Pure Carbon Co.)*, Oct., 135
cement, high-temperature*, June, 92
ceramics, high-temperature*, Dec., 111
copper-base alloys (Fansteel Metallurgical Corp.)*, Feb., 150
copper-base alloys, Dec., 125
directory of, Oct., 217
glass, designed to permit silver soldering*, Sept., 91
glass laminate*, Aug., 145
gray iron, nodular*, May, 84
leather, improved wear resistance*, Apr., 98
leather, properties of*, Jan., 76
magnetic, nonconducting (North American Phillips)*, Mar., 162
magnetic, permanent*, Oct., 92
magnesium used in deep drawn shell*, Mar., 146
stainless steel alloy (Armco Steel Corp.)*, Sept., 146
stainless steel, corrosion-resistant (Carpenter Steel Co.)*, May, 157
stainless steel powder parts (Amplex Mfg. Co.)*, Sept., 145
stainless steel, sheet and plate (Duriron Co.)*, Oct., 139
steel, alloy cast (Lebanon Steel Foundry)*, Sept., 148
steel, alloy, free-machining (Joseph T. Ryerson & Son Inc.)*, Jan., 147
steel, free-machining (Joseph T. Ryerson and Son Inc.)*, Dec., 166
steel, silicon sheet, piercing and blanking of*, Aug., 86
titanium (E. I. DuPont)*, Mar., 160
titanium*, May, 84
tungsten powders*, Apr., 98
Materials, testing of, Oct., 96
- Measurement:**
accuracy of, enhanced by mercury isotope*, Feb., 85
electrostatic and magnetic field, by electron microscope*, Oct., 103
force, by hydraulics, Oct., 113
Mechanical kidney, Dec., 140
- Meters:**
contact-making (Assembly Products Inc.)*, Oct., 142
electric, miniature (International Instruments Co.)*, Jan., 152
magnetic, piston suspension*, Mar., 174
panel, redesign of, Dec., 122
postage, portable*, Sept., 142
velocity, for air and gas (Hastings Instrument Co.)*, Sept., 156
vibration (Calidyne Co.)*, July, 152
- Micrometer, (Electro Products Laboratory)*, Mar., 170**
- Milling, turn, machine, Aug., 90**
- Miner, continuous, May, 88**
- Model research airport, May, 118**
- Molded laminated parts, June, 111**
- Molding, injection, insert (Gries Reproducer Corp.)*, Jan., 158**
- Molding, two-color*, Jan., 144**
- Motion analysis of high-speed conveyor, Aug., 109**
- Motors:**
a-c induction (Westinghouse Electric Corp.)*, Nov., 160
a-c, three-speed (Marco Industries Inc.)*, Dec., 156
a-c, variable-speed delivering variable torques*, July, 68
angular mounting eliminates belt misalignment, Sept., 125
business machine (General Electric Co.)*, June, 168
control, electronic, Apr., 177
d-c, constant-speed (Amglo Corp.)*, Feb., 148
d-c, low-voltage, permanent magnet (Haydon Mfg. Co.)*, May, 164
d-c, miniature (Electro-Alre Inc.)*, Dec., 162
explosion-proof, (Ruthman Machinery Co.)*, Apr., 184
floating-rotor, utilized for spindle advance, Dec., 135
fluid drive (Reuland Electric Co.)*, Sept., 150
flywheel, loom (General Electric Co.)*, Dec., 165
fractional-horsepower (Electric Motor Corp.)*, Sept., 152
fractional-horsepower (Hoover Co.)*, Mar., 159
fractional-horsepower (Redmond Co. Inc.)*, May, 160
fractional-horsepower, selection of, June, 127
fractional-horsepower, shaded-pole (Electro Engineering Products Co.)*, Jan., 154
fractional-horsepower, six-pole (Fasco Industries Inc.)*, Nov., 160
gearhead (Redmond Co.)*, Aug., 157
gearhead-reduction (Robbins & Myers Inc.)*, Nov., 154
gearmotors, totally-enclosed (Crocker-Wheeler Electric Mfg. Co.)*, May, 158
gearmotors, totally enclosed (United Electric Machinery Co.)*, June, 162
hydraulic, performance of, Jan., 133
induction, fan-cooled (Burke Electric Co.)*, Feb., 148
intermittent rotation mechanism for electric*, Jan., 166
jet pump (Brown-Brockmeyer Co.)*, May, 158
lifetime lubricated (General Electric Co.)*, Dec., 161
polyphase, drip-proof (Wagner Electric Corp.)*, Feb., 152
pump unit (John S. Barnes Corp.)*, Sept., 148
shaded-pole (Redmond Co.)*, June, 164
single-phase (Louis Allis Co.)*, July, 144
single-phase jet pump (Century Electric Co.)*, June, 160
single-phase (Iron Fireman Mfg. Co.)*, Dec., 164
small skeleton (Redmond Co.)*, Sept., 149
submersible pump (Piqua Machine & Mfg. Co.)*, Nov., 155
synchronous (Electric Indicator Co.)*, Sept., 154
synchronous timing (R. W. Cramer Co.)*, Oct., 135
totally-enclosed (Brown-Brockmeyer Co.)*, Sept., 154
totally-enclosed (Sterling Electric Motors Inc.)*, Sept., 151
totally-enclosed fan-cooled (Valley Electric Corp.)*, Sept., 146
wound-rotor (Crocker-Wheeler Electric Mfg. Co.)*, June, 166

Mounts:

- adjustable, for appliances (Ohio Nut & Bolt)*, Mar., 168
resilient, for ball bearings, Apr., 108
vibration, all-metal (Robinson Aviation Inc.)*, Feb., 156
vibration, heavy-duty (Finn & Co.)*, Feb., 152
vibration, snubbing (Lord Mfg. Co.)*, Jan., 148

N

- Nameplates, embossed-metal (Chicago Car Seal Co.)*, Mar., 168
Noise analyzer (Aircraft Electronics Associates Inc.)*, June, 174

*Denotes short articles of less than one page.

- Nuts and screws, welding (Ohio Nut & Bolt Co.)*, July, 140
Nut retainer (Tinnerman Products Inc.)*, Mar., 166
Nut, snap, blind (Prestole Corp.)*, Jan., 152

O

- Oiler, gravity-feed, multiple (Oil-Rite Corp.)*, Jan., 150
Oil seal, rotary (Gits Brothers Mfg. Co.)*, Apr., 184
O-rings, groove design for*, May, 176
Oscillograph, cathode-ray (Allen B. DuMont Laboratories Inc.)*, Dec., 168
Oscilloscope (Hickok Electrical Instruments Co.)*, July, 150
Overdrive for Chevrolet, Apr., 175
Overload detecting device (Westinghouse)*, Mar., 158
Oxygen converter, July, 99

P

- Packing, asbestos sheet (Greene, Tweed & Co.)*, Sept., 147
Packing, hydraulic, for industrial equipment, Dec., 155
Packing material, molded (Crane Packing Co.)*, Nov., 156
Packing, ring, nonextruding (Greene, Tweed & Co.)*, Feb., 152
Packing, V-type (Linear Inc.)*, Dec., 161
Panel instruments, pivot type (General Electric Co.)*, Oct., 136
Paper coating machine*, Feb., 139
Permanent magnets, design and application of, Apr., 153
Photocopy machine (General Photo Products Co.)*, June, 172
Photocopy machine, continuous (American Photocopy Co.)*, Apr., 198
Photocopy machine (Haloid Co.)*, Dec., 168
Photocopy paper (General Photo Products Co.)*, Mar., 170
Photocopy paper (Eastman Kodak Co.)*, Apr., 204
Photoelastic method of stress analysis, Nov., 137
Photoelectric control (Photoswitch Inc.)*, Mar., 159
Photoelectric control (Photoswitch Inc.)*, Oct., 137
Photoelectric counter (Photoswitch Inc.)*, Mar., 164
Photoelectric registration control (Photoswitch Inc.)*, Feb., 154
Photography, high-speed, used to analyze casting techniques*, Jan., 76
Photographic viewfinder*, Aug., 86
Pitch-changing mechanism, application to marine propellers, Feb., 127
Pistons, checking and classifying of*, May, 96
Piston ring, taper face, oil control and reduced blow-by*, Apr., 216
Piston temperature measured at high-speed*, Mar., 97
Planetary gear units, May, 92
Plastic and porcelain wire connectors (Holub Industries Inc.)*, Sept., 146
Plastic coating, colored (Foster & Kester)*, Nov., 158
- Plastics:**
acrylic fiber*, Jan., 76
failure of, Mar., 184
flash lamp (Amglo Corp.)*, May, 166
housing enhances design*, Aug., 148
laminate (B. F. Goodrich Chemical Co.)*, Sept., 145
laminate (Formica Co.)*, July, 146
laminated parts, June, 111
nylon-cotton for heavy-duty conveyor belt*, Oct., 92
nylon, graphite-filled (Polymer Corp.)*, Aug., 157
phenolic laminate, high-strength (Synthane Corp.)*, Oct., 135
phenolic, thermosetting (Rogers Corp.)*, Sept., 152
phenolic used in pump casings*, Mar., 146
silicone extruded molded parts (Stalwart Rubber Co.)*, Jan., 158
silicone insulating resin (General Electric Corp.)*, Sept., 154
silicone-rubber, glass reinforced sleeving (Connecticut Hard Rubber Co.)*, Jan., 156
silicone rubber parts (Stalwart Rubber Co.)*, June, 170
silicone-rubber sponge for gaskets, vibration of (Connecticut Hard Rubber Co.)*, Feb., 152
wire, glass fiber sleeving (Bently, Harris Mfg. Co.)*, Sept., 150
Plates, circular, stresses and deflections in (Data Sheet)*, Aug., 149
Plates, ribbed, strength and stiffness of (Data Sheet)*, Sept., 143
Plugs, countersunk pipe (J. J. Tourek Mfg. Co.)*, Sept., 150
Plugs, leakproof pipe, (U. S. Pipe & Fittings)*, Mar., 160
- Pneumatic:**
chip remover, June, 106
fatigue tester*, July, 132
industrial wheel (Geneva Metal Wheel Co.)*, Apr., 196
relays, Apr., 109
rotary vane pump (Gast Mfg. Corp.)*, Oct., 138
sander, May, 103
timer (Square D Co.)*, May, 156
vibrator (Cleveland Vibrator Co.)*, July, 140
- Pneumatic-hydraulic control system, Apr., 149**
- Polariscope for photoelastic testing, Nov., 138**
- Porcelain and plastic wire connectors (Holub Industries Inc.)*, Sept., 146**
- Porcelain enamel, method for evaluating texture*, June, 92**
- Positioning, automatic, of machine spindles, Nov., 111**
- Powder-metal parts, dollars-and-cents advantages of, May, 133**
- Powder-metal parts, stainless steel (Amplex Mfg. Co.)*, Sept., 145**
- Power system, d-c (Leece-Neville Co.)*, Apr., 190**
- Power units, hydraulic-electric (American Blower Corp.)*, Feb., 156**
- Power units, rotating pipe*, Feb., 86**
- Pre-amplifier, calibrated (Sound Apparatus Co.)*, Dec., 172**
- Press, air-operating, Jan., 141**
- Pressure cells, low-range (Baldwin Locomotive Works)*, May, 164**
- Pressure control, bomber*, May, 106**
- Pressure measuring device (Automatic Temperature Control Co.)*, Feb., 154**
- Pressure regulator (C. A. Norgren Co.)*, July, 140**
- Pressure vessels, how code effects design, Sept., 105**
- Pretzel tying machine, July, 74**
- Print drier (Lott Mfg. Co.)*, Apr., 202**
- Print drier, electric (Fedco Products)*, Apr., 202**
- Production, design for, mass, Mar., 135**
- Processes, their influence on design, Part XL—projection welding, Jan., 121; Part XLI—butt welding, Feb., 103; Part XLII—production brazing, Mar., 107; Part XLIII—welding, general consideration, May, 119; Part XLIV—welding, design factors, June, 135; Part XLV—sand castings, Aug., 127; Part XLVI—centrifugal casting, Sept., 107; Part XLVII—permanent-mold casting, Oct., 115; Part XLVIII—die casting, Nov., 115; Part XLIX—plaster-mold casting, Dec., 141**

Preformer, cam*, Sept., 142
 Projection mechanism for movies over television*, Sept., 93
 Propeller blades, stainless steel, helicopter*, July, 82
 Propellers, reversible pitch, allow high descent rates*, Jan., 76
 Pulley, cast-iron, V-belt (A & A Machine Co.)*, Apr., 192
 Pulley, differential, amplifies vibrograph output, Oct., 105
 Pulley, idler (Palmer Bee Co.)*, May, 164
 Pull-wires, optimum diameters of, June, 119

Pumps:

air, rotary vane (Gast Mfg. Corp.)*, Oct., 138
 centrifugal (Eastern Industries)*, Mar., 157
 centrifugal (Thompson Products Inc.)*, June, 164
 centrifugal (Graymills Corp.)*, May, 160
 centrifugal, stainless steel (Goulds Pumps Inc.)*, Dec., 165
 centrifugal, testing of, Sept., 113
 clutch-driven heavy-duty (Marine Products Co.)*, Jan., 152
 fluid, medium-pressure (Eastern Industries)*, Jan., 156
 gearless hydraulic (Eco Engineering Co.)*, June, 161
 gear-type, hydraulic (Eastern Industries Inc.)*, Nov., 158
 high-head jet (Goulds Pumps Inc.)*, Apr., 194
 high-vacuum*, Feb., 138
 hydraulic, Apr., 141
 hydraulic (Universal Machinery Co.)*, June, 166
 hydraulic (Vickers Inc.)*, Sept., 151
 hydraulic, adjustable-stroke, June, 105
 hydraulic, gear (Hydraulic Equipment Co.)*, Jan., 154
 hydraulic, air-actuated (Lyon-Raymond Corp.)*, Dec., 163
 hydraulic, and motors, performance of, Jan., 133
 hydraulic, piston (Eastman Pacific Co.)*, Jan., 158
 jacketed (Viking Pump Co.)*, July, 140
 reciprocating, Dec., 120
 redesigned inlet ports*, Nov., 165
 restyled for appearance and performance*, Sept., 141
 rotary gear, hydraulic (Lear Inc.)*, Sept., 152
 rotary hydraulic (Hincley Technical Assoc. Inc.)*, Sept., 149
 rotary vane and rubber seal joint*, May, 176
 two-stage, operates press*, Nov., 147
 water injection (Lear Inc.)*, June, 168
 Pump motor (Ruthman Machinery Co.)*, Apr., 184
 Pump motor unit (John S. Barnes Corp.)*, Sept., 148
 Pyrometer, recording (Electric-Arc Inc.)*, July, 148

Q

Quality control*, Dec., 208
 Quality control, purpose of*, Nov., 200
 Quality control, tolerances, June, 130
 Quality, how to improve*, Dec., 212

R

Ratchet mechanism*, June, 155
 Recoil loading, determination of, Jan., 93
 Record changing mechanism, phonograph, June, 150
Recorders:
 electric pyrometer (Electric-Arc Inc.)*, July, 148
 graphic (Sound Apparatus Co.)*, July, 152
 operating-time (Bristol Co.)*, Mar., 157
 polinear, for electro-acoustic and electronic devices (Sound Apparatus Co.)*, Oct., 142
 sound analyzer (Sound Apparatus Co.)*, June, 172
 spark, on accelerometer*, Sept., 92
 temperature (Leeds & Northrup Co.)*, Apr., 196
 Recording instrument, operation (Bristol Co.)*, Feb., 146
 Records, graphical, analysis of, Mar., 115
 Rectifiers, heavy-duty selenium (International Rectifier Corp.)*, Apr., 194
 Redesign effects economies, Jan., 79
 Reducer, geared speed (Euclid Universal Machine Inc.)*, May, 154
 Reducer, single reduction speed (Ohio Gear Co.)*, May, 154
 Reel windup control*, Apr., 168
Regulators:
 constant flow, Dec., 112
 pressure (C. A. Norgren Co.)*, July, 140
 voltage, automatic (The Superior Electric Co.)*, Sept., 152
 voltage, static generator (Vickers Electric Div.)*, Aug., 152
Relays:
 circuit analysis for, Dec., 137
 compensating (Sigma Instruments Inc.)*, July, 148
 control, miniature (American Relay & Controls Inc.)*, Dec., 164
 general purpose (Advance Electric & Relay Co.)*, Aug., 156
 hermetically-sealed (Advance Electric & Relay Co.)*, Mar., 168
 hermetically-sealed (Automatic Electric Sales Corp.)*, Aug., 153
 magnetic (Ward Leonard Electric Co.)*, Oct., 139
 magnetic (Ward Leonard Electric Co.)*, June, 166
 magnetic, miniature (Ward Leonard Electric Co.)*, Jan., 156
 mercury (Ebert Engineering & Mfg. Co.)*, June, 161
 mercury, double-flow (Durakool Inc.)*, Feb., 152
 pneumatic, Apr., 109
 stepping, Apr., 133
 ultra-high-speed (Stevens Arnold Inc.)*, Apr., 192
Reports, engineering, preparation of, Oct., 108
 Resistor coil (Euclid Electric & Mfg. Co.)*, Dec., 163
 Resistor, high-current (Ward Leonard Electric Co.)*, Nov., 156
 Resistor, high-current (Exmet Electrical Corp.)*, Dec., 164
 Resolvers, precision, electric (Arma Corp.)*, Oct., 138
 Retainer, self-locking (Waldes Kohinoor Inc.)*, June, 163
 Retaining ring, bowed (Waldes Kohinoor Inc.)*, May, 164
 Ribbon-wire shapes, metal (Sylvania Electric)*, Mar., 160
Rings:
 sealing, carbon-graphite (Gits Bros. Mfg. Co.)*, Oct., 137
 stainless steel, piston (Steel or Bronze Piston Ring Corp.)*, Sept., 145
 stress analysis of, and shells, Oct., 122
 Rods, connecting*, Sept., 94
Rubber:
 belts, endless (U. S. Rubber Co.)*, Oct., 137
 closed cellular (Great American Industries Inc.)*, Aug., 158
 extruded and molded (Stalwart Rubber Co.)*, May, 155
 parts, colored*, Nov., 88

*Denotes short articles of less than one page.

plasticized compound (Stalwart Rubber Co.)*, Oct., 136
 punched products (Stalwart Rubber Co.)*, June, 160
 silicone parts (Stalwart Rubber Co.)*, June, 170
 solvent-resistant (Stalwart Rubber Co.)*, Mar., 158
 synthetic (Stalwart Rubber Co.)*, June, 164
 synthetic (Stalwart Rubber Co.)*, Dec., 165
 synthetic, compared with natural*, Oct., 168

S

Sander, pneumatic, May, 103
 Saw, chain, powered by gasoline engine, Aug., 106
 Scales, all-purpose (Omicron Instrument Co.)*, Apr., 204
 Scales and dials for machines, Aug., 98
 Scales, beam, design of, June, 121
Screws:
 cap, self-locking (Diamond Head Screw Co.)*, Apr., 194
 cap, self-tapping (Parker-Kalon Corp.)*, Nov., 154
 locking inserts (Brush Nail Expansion Bolt Co.)*, Aug., 153
 thread standards, unified, Jan., 127
 welding (Ohio Nut & Bolt Co.)*, July, 140
Seals:
 annular, designed to permit fluid supply to operating chambers*, Nov., 168
 for swivel joints*, Mar., 176
 high-pressure, mechanical (Byron Jackson Co.)*, Dec., 163
 hydraulically closed*, Feb., 170
 O-rings, long-life design*, Feb., 170
 piston-ring*, Apr., 214
 reed*, Sept., 164
 ring, carbon-graphite (Gits Bros. Mfg. Co.)*, Oct., 137
 self-lubricating, carbon-graphite (Morganite Inc.)*, Oct., 139
Sealing of powder-filling machine, Apr., 139
 Servo mechanism, clutch-brake (Buehler & Co.)*, July, 142
 Servomechanism test instrument (Servo Corp. of America)*, May, 166
 Servomotor (Holtzer-Cabot Inc.)*, May, 157
 Servomotor (Square D Co.)*, May, 160
 Servomotors, Jan., 104
 Servo test instrument (Flight Research Engineering Corp.)*, Mar., 172
 Shaft control, precision device, Feb., 168
 Shaft, telescoping, May, 91
Sheaves:
 steel, two-element (Transmission Machinery Corp.)*, Jan., 148
 torque limiting feature, Oct., 134
 V-belt (V-Belt Engineering Co.)*, Aug., 153
 V-belt, flywheel effect of (Data Sheet), Feb., 141
Shells and rings, stress analysis of, Oct., 122
 Shock absorbers*, May, 84
 Shock absorbers (Thompson Electric Co.)*, July, 141
 Slide rule, circular (Allegheny Plastics Inc.)*, May, 166
 Slide rule, log-log (Pickett & Eckel Inc.)*, Dec., 168
 Solenoid air valves (see Valves)
 Solenoid with increased tractive force*, Sept., 164
 Solenoid latch mechanism, Apr., 105
 Sound analyzer, recorder (Sound Apparatus Co.)*, June, 172
 Sound level meter, portable (Hermon Hosmer Scott Inc.)*, May, 166
 Specifications*, Dec., 204
 Speed control methods for electric motor drives, July, 83
 Speed control, stepless (Servo-Tek Co.)*, Aug., 156
 Speed drive, variable (Speed Selector Inc.)*, Aug., 155
 Speed drive, miniature (Metron Instrument Co.)*, June, 166
Speed reducers:
 double-reduction, Apr., 167
 double-reduction (Euclid Universal Machine Inc.)*, Sept., 145
 used in pug mill*, Mar., 146
 worm-gear (Boston Gear Works)*, Jan., 154
 Spindle drive, calculations for stresses in, June, 144
 Spindle drive, selection of, June, 144
 Spring system, compensated in instruments, discussion of, Mar., 104
 Spur gears, for high-speed application, Apr., 161
Starters:
 magnetic (Arrow-Hart & Hegeman)*, Mar., 158
 magnetic (Ward Leonard Electric Co.)*, July, 146
 magnetic and contactor (Trumbull Electric Mfg. Co.)*, Feb., 152
 solenoid-operated (Ward Leonard Electric Co.)*, Feb., 148
 Stoker, spreader type*, Jan., 143
 Strain indicator, automatic balancing (Baldwin Locomotive Works)*, Oct., 142
Stress analysis in shells and rings, Oct., 122
 Stress analysis, photoelastic method, Nov., 137
 Stress, centrifugal, in disks, analyzed graphically, May, 137
 Stress, internal, measured by instruments*, Nov., 96
 Stroboscope, slow speed (General Radio Co.)*, June, 174
 Styling, modern machine*, Feb., 188
 Styling of machine, discussion of, Mar., 98
Switches:
 actuating, splashproof (Productions Instruments Co.)*, Jan., 140
 adapter plate for (Unimax Switch Corp.)*, June, 164
 centrifugal*, May, 97
 centrifugal (Euclid Electric & Mfg. Co.)*, Sept., 150
 industrial safety (Square D Co.)*, Sept., 147
 lever-action (Switchcraft Inc.)*, Sept., 151
 limit, duplex (Square D Co.)*, Feb., 150
 motor-reversing (Iron Fireman Mfg. Co.)*, Sept., 148
 precision (Unimax Switch Corp.)*, May, 162
 pressure-actuated (Diaflex Div. of Cool Electric)*, Mar., 162
 pressure-actuated (Meletron Corp.)*, Aug., 155
 pressure-relief, Nov., 108
 rotary, multipole, multistage (Electro Switch Corp.)*, Jan., 152
 rotary selector (Arrow-Hart & Hegeman Electric Co.)*, Nov., 153
 slide (Stackpole Carbon Co.)*, Jan., 147
 snap, universal type (Unimax Switch Div.)*, Mar., 164
 stepping, automatic, rotary (Automatic Electric Co.)*, Jan., 152
 stepping, spring-driven (C. P. Clare & Co.)*, Mar., 164
 thermal (Airite Products Co.)*, July, 143
 Synchro transmitter, high-sensitivity (Kollsman Instrument Div.)*, Jan., 156
 Synchro units (Arma Corp.)*, Feb., 154

T

Tachometers:
 breaker-point, engine (Metron Instrument Co.)*, Apr., 198
 direct-reading (O. Zernickow Co.)*, Apr., 200

Tachometers (cont.)

- electric, built-in (Electric Tachometer)*, Jan., 156
- electric, high-precision (Metron Instrument Co.)*, Jan., 160
- electronic, Nov., 133
- indicator (Metron Instrument Co.)*, Mar., 168
- motor testing (Metron Instrument Co.)*, Aug., 160
- Television has interoffice use*, Jan., 76
- Templates:
 - circle (Rapidesign Inc.)*, Feb., 160
 - drafting (Rapidesign Inc.)*, Mar., 170
 - master, ellipse (Rapidesign Inc.)*, Aug., 160
- Temperature recorder (Leeds & Northrup Co.)*, Apr., 196
- Temperature transmitter (Taylor Instrument Co.)*, July, 146
- Terminal block (Westinghouse Electric Corp.)*, Dec., 166
- Terminal, electrical, plug-in (Ark-Les Switch Corp.)*, Apr., 196
- Terminals, hermetically-sealed (General Ceramics & Steatite Corp.)*, Apr., 188

Tester, circuit, pocket-sized (Precision Apparatus Co.)*, Apr., 202

Testing:

- cavitation, apparatus, June, 105
- centrifugal pumps, Sept., 113
- fatigue, accelerated method of, Sept., 137
- materials, value of data derived from, Oct., 96
- machine, aircraft*, Jan., 120
- machine, electronic, Jan., 140
- machine, fatigue, subjects pipes to bending loads*, Jan., 86
- machine, vibration, July, 113
- ultrasonic (Sperry Products Inc.)*, Dec., 170

Test instrument, servomechanism (Servo Corp. of America)*, May, 166

Tetrode, power, air-cooled*, Mar., 164

Thermometer element, wafer type (Ruge-de-Forrest)*, Mar., 164

Thermometer, magnetic (W. C. Dillon & Co.)*, Sept., 156

Thermostat, midjet disk type (Stevens Mfg. Co. Inc.)*, Nov., 154

Thermostat, positive operating (Stevens Mfg. Co. Inc.)*, Sept., 147

Thermostat, positive-operating (Stevens Mfg. Co. Inc.)*, Dec., 163

Thermostat, protective (Metals & Controls Corp.)*, Oct., 136

Thickness measuring machine*, July, 131

Thread roller, planetary, utilizes triple dies*, July, 130

Thyratron, mercury-vapor (Radio Corp. of America)*, Feb., 150

Timers:

- automatic control (Eagle Signal Corp.)*, Aug., 157
- automatic reset (Haydon Mfg. Co.)*, May, 162
- dials (M. H. Rhodes Inc.)*, Apr., 188
- four-circuit, cycle (R. W. Cramer Co.)*, June, 170
- interval (General Electric Co.)*, Apr., 198
- pneumatic (Square D Co.)*, May, 156
- process (Struthers-Dunn Inc.)*, Apr., 186
- repeat cycle (G. C. Wilson & Co.)*, July, 150
- two-speed (M. H. Rhodes Inc.)*, Aug., 160

Timing unit, electric (Eagle Signal Corp.)*, Apr., 186

Toaster, automatic*, May, 147

Toggle, snap-open calculation*, Aug., 126

Tolerances, comparison of old & new screw-thread standards, July, 116

Tolerances, specifying by statistical analysis, Mar., 120

Tool lifter, automatic electromagnetic (Decca Co.)*, Jan., 154

Torque converter*, Dec., 216

Torque converter, one-way locking system*, May, 178

Torsion scraper ejector, Mar., 142

Transfer and feeding mechanism, automatic, Oct., 125

Transfer forms (C. M. Johnson Co.)*, Feb., 158

Transfer mechanism, automatic, Sept., 95

Transformer, control circuit (Square D Co.)*, May, 162

Transformer, oil burner ignition (Acme Electric Corp.)*, Aug., 158

Transmissions:

- automatic (Western Mfg. Co.)*, Feb., 146
- gearshift drive (Lima Electric Motor Co.)*, Aug., 151
- torque-converting, July, 117
- two-speed (Eclipse Machine Div.)*, May, 156
- two-speed planetary, Nov., 132
- two-speed for motor bikes, Dec., 146
- variable-speed (Standard Transmission Equipment Co.)*, Apr., 190
- variable-speed (Graham Transmissions, Inc.)*, Sept., 148
- variable-speed (Graham Transmissions, Inc.)*, Feb., 145
- variable-speed (Speed Control Corp.)*, Apr., 188
- variable-speed (General Radio Co.)*, Nov., 153
- variable-speed, (Westinghouse Electric Corp.)*, Nov., 156
- variable-speed (Graham Transmissions, Inc.)*, Dec., 162
- variable-speed, control (Reeves Pulley Co.)*, Oct., 135
- variable-speed control by ball shape roller bodies*, Sept., 166
- variable-speed, right-angle (Ohio Gear Co.)*, Nov., 152

Transmitter, pneumatic pressure, Apr., 113

Transmitter, temperature (Taylor Instrument Co.)*, July, 144

Tubes:

- cemented carbide (Kennametal Inc.)*, Aug., 155
- electrical-insulating, plastic (Extruders Inc.)*, Mar., 159
- fittings, July, 106
- method for forming*, May, 96
- unions, flared (Roylyn Inc.)*, May, 160

Turbine, gas, 200-hp*, Feb., 184

Turbine, gas, locomotive, July, 110

Turbine, gas, possibilities for automotive power*, July, 68

Turntable motor, dual-speed*, Feb., 136

Tying mechanism, July, 74

Typewriter console produces any desired sound effects*, Oct., 92

Typewriter, world's smallest, Jan., 103

U

- Union connection, rotary (Perfecting Service Co.)*, June, 163
- Universal joint (Lovejoy Flexible Coupling Co.)*, May, 164
- Unpacker for bottle and jar unloading, June, 148

V

Valves:

- air and hydraulic (C. E. Hunt & Son Inc.)*, Sept., 145

*Denotes short articles of less than one page.

- air controlled (Logansport Machine Co.)*, Sept., 147
- air dumping (Ross Operating Valve Co.)*, June, 170
- air-hose (Paul Valve Corp.)*, Apr., 188
- air-solenoid (Valvair Corp.)*, Aug., 152
- air-solenoid (Valvair Corp.)*, Sept., 149
- air-solenoid (Viking Products Co. Inc.)*, Apr., 190
- air-solenoid (Mechanical Air Controls Inc.)*, Nov., 157
- air-solenoid control (Bellows Co.)*, June, 161
- air-solenoid, controlled by oscillating pilot, Aug., 124
- air-water operating (Leslie Co.)*, Aug., 153
- ball type (Klipfel Mfg. Co.)*, June, 166
- check and needle (Pneu-Trol Devices Inc.)*, Oct., 136
- check, cone (Parker Appliance Co.)*, Feb., 148
- check, high-pressure (Hoke Inc.)*, Mar., 162
- check, hydro-pneumatic (Kohler Co.)*, Jan., 150
- control (Annin Co.)*, Aug., 156
- control, foot-operated (Modernair Corp.)*, June, 163
- control, pneumatic (Modernair Corp.)*, Feb., 156
- control, pneumatic (Airmatic Valve, Inc.)*, Jan., 148
- control, pneumatic, (Hanna Engineering Works)*, Nov., 160
- control, pneumatic, disk (Hannifin Corp.)*, Dec., 161
- diaphragm, high volume (C. A. Norgren Co.)*, Nov., 158
- double-piloted (C. E. Hunt & Son Inc.)*, Oct., 137
- flow-control (Airmatic Valve)*, Mar., 166
- gate, cast-steel (Crane Co.)*, Mar., 158
- gate, stainless steel (The Cooper Alloy Foundry Co.)*, Aug., 158
- globe, plug type (Jenkins Bros.)*, Feb., 145
- high-pressure check (Kohler Co.)*, Aug., 154
- high-pressure hydraulic, sealing of*, Sept., 166
- hydraulic, automatic*, Jan., 170
- hydraulic, control*, Sept., 106
- hydraulic, control (Hydraulic Equipment Co.)*, Sept., 148
- hydraulic, for divided flow*, Sept., 164
- hydraulic, relief (Gerotor May Corp.)*, Jan., 158
- magnetic, for locking brakes at desired pressure*, Sept., 166
- manual control (Saval Inc.)*, June, 165
- oil, pilot (Gerotor May Corp.)*, June, 168
- packless air control (Logansport Machine Co.)*, June, 160
- packless diaphragm (Crane Co.)*, May, 155
- packless globe*, June, 155
- pilot (Hanna Engineering Works)*, Oct., 140
- pneumatic, hand-operated (Numatics)*, Feb., 146
- pneumatic relay, Apr., 109
- pneumatic, three-way (Mead Specialties Co.)*, Nov., 152
- process control, Jan., 129
- quick-exhaust (Airmatic Valve Inc.)*, Feb., 146
- solenoid (Carma Mfg. Co.)*, July, 143
- solenoid (Crescent Valve Co.)*, Dec., 164
- solenoid, high-pressure (Waterman Engineering Co.)*, Mar., 159
- velocity limiting (Pneu-Trol Devices Inc.)*, July, 144

Variable-pitch typewriter rack for even right hand margin*, July, 82

Vibration absorbers, design of, Nov., 142

Vibration analyzer (Aircraft Electronics Assoc. Inc.)*, June, 174

Vibration damper (Connecticut Hard Rubber Co.)*, July, 143

Vibration eliminator, torsional*, Feb., 168

Vibration meter (Calidyne Co.)*, July, 152

Vibration mount (Finn & Co.)*, Nov., 160

Vibration mount, all-metal (Robinson Aviation Inc.)*, Feb., 156

Vibration mount, heavy-duty (Finn & Co.)*, Feb., 152

Vibration mount material (Korfund Co.)*, Mar., 157

Vibration pickup (Consolidated Engineering Corp.)*, Jan., 160

Vibration testing apparatus, July, 113

Vibrator, armature, operates portable sprayer*, Aug., 147

Vibrator, electric (Globe Industries Inc.)*, Sept., 151

Vibrator, pneumatic (Cleveland Vibrator Co.)*, July, 140

Vibograph, Oct., 105

Voltage regulator, automatic (The Superior Electric Co.)*, Sept., 152

Voltage regulator, static generator (Vickers Electric Div.)*, Aug., 152

Voltage test (Square D Co.)*, Apr., 200

Voltmeter, portable (Pyramid Instrument Co.)*, Sept., 158

Voltmeter, vacuum tube (General Electric Co.)*, Aug., 156

W

Washer, automatic, design features of, Oct., 133

Washer, bouncing basket, discussion of, Feb., 77

Washer, sealing (Franklin C. Wolfe Co.)*, May, 162

Wear measurement*, May, 84

Weaving machine, Sulzer, redesign of, Jan., 79

Welding:

aluminum, cold, Jan., 180

arc, of chrome-nickel stainless steel, aluminum bronzes*, Nov., 88

design factors, June, 135

electrodes, steel, selection of (Data Sheet), June, 151

general considerations, May, 119

projection bosses (Ohio Nut & Bolt Co.)*, Apr., 188

seam, for compressor housing*, Jan., 144

similar steels, redesign for, Nov., 166

Weld-nut (National Screw & Mfg. Co. and Lamson & Sessions)*, July, 141

Weld-nut, locking (Grip Nut Co.)*, Apr., 190

Weld-nuts and screws (Ohio Nut & Bolt Co.)*, July, 140

Wheels:

assemblies (Kelsey-Hayes Wheel Co.)*, Sept., 145

cast-aluminum, industrial (Pikes Peak Aluminum Foundry)*, Mar., 166

disk, industrial (Geneva Metal Wheel Co.)*, Sept., 152

industrial (Bassick Co.)*, Nov., 157

pneumatic, industrial (Geneva Metal Wheel Co.)*, Apr., 196

semipneumatic or hard (Paramount Engineering)*, Mar., 160

small, industrial (Geneva Metal Wheel Co.)*, July, 141

Whiteprinting machine (C. F. Pease Co.)*, Dec., 170

Wire, drawn, nickel-alloy (Kemet Laboratories)*, Feb., 146

Wire harnesses, armored (Interstate Mfg. Co.)*, Jan., 156

Wire sleeving, glass fiber (Bentley Harris Mfg. Co.)*, Sept., 150

Worm gear, ball bearing*, Apr., 212

Wrench, torque, employs toggle principle*, Aug., 147

Z

Zipper to fasten rubber diaphragms in car coupling*, June, 92